

13 Amp Trailing Sockets



SS

1 Gang

TN

2 Gang + Neon

UG

4 Gang + Neon

SXG

6 Gang + Neon

13 Amp Extension Lead Surge Protected



SRG4/2

4 Gang 2m Surge Protected

SRG6/2

6 Gang 2m Surge Protected

Extension Leads



BFG2

4 Gang 2m

BSG2

6 Gang 2m

Handbag Reel



HBT2013/4R

20m 13 Amp 4 sockets
thermal cut-out

Open Cable Reels



LDCT2513/4R

25m 13 Amp 4 sockets
thermal cut-out

Small Cassette Reel



SCT0510/4R

5m 10 Amp 4 sockets
thermal cut-out

Flex Connectors



452

10 Amp 3 Pin

458

13 Amp 3 Pin Fixed

13 Amp Rubber Plugs



HDPT13 B

Black

HDPT13 O

Orange

HDPT13 W

White

Plug Tops



2113 W

13 Amp White

2113 B

13 Amp Black

PT2W

2 Amp Round

PT5W

5 Amp Round



Plugs

Amps	Poles	Volts
16	2P. + E	110/130
16	2P. + E	220/250
32	2P. + E	220/250
16	4P. + E	380/415
32	4P. + E	380/415



Wall Sockets

Amps	Poles	Volts
16	2P. + E	110/130
16	2P. + E	220/250
32	2P. + E	220/250
16	4P. + E	380/415
32	4P. + E	380/415



Coupler

Amps	Poles	Volts
16	2P. + E	110/130
16	2P. + E	220/250
32	2P. + E	220/250
16	4P. + E	380/415
32	4P. + E	380/415



Switched Sockets

Amps	Poles	Volts
16	2P. + E	110/130
16	2P. + E	220/250
16	4P. + E	380/415



RCD Sockets

Amps	Poles	Volts
16	2P. + E	110/130
16	2P. + E	220/250
16	4P. + E	380/415

Immersion Heater Timer

IHT GPT



- 16 Amp
- BEAB approved
- 24hr Setting

Digital Immersion Heater Timer

IHT DIGI



- 16 Amp
- Easy Program
- 24hr / 7 day Setting

24hr Plug-In Timer

STA 200



- Switches appliances up to 13 Amp
- Easy to use
- Manual Over-ride

RS Room Thermostat



- Range 5 to 35 degrees C
- 10 Amp resistive
- Neon Indicator

Socket Box Timer

SBSTU



- General purpose time switch for mounting directly over a flush or surface mounted 13 amp socket box.
- 16 Amp
 - 24hr Setting

Electronic Plug-In Timer

STA 500S



- 13 Amp
- 24hr / 7 day Setting
- Minimum setting 1 minute

Electronic Timer

QE1



- 24hr / 7 day Setting
- Battery Reserve
- Single Channel

Electronic Programmer

QE2



- 24hr / 7 day Setting
- 2 Channel
- Battery Back-up

Economy 7 Timeswitch

QE7



- Accurate & reliable quartz control
- Multi tariff option
- 15 to 120 min boost

Direct on Line Motor Starters



240v DOL with enclosure, 2 button No overload

LE1-D123U7 5.5kw 230v

LE1-D253U7 11kw 230v

415v DOL with enclosure, 2 button No overload

LE1-D123N7 5.5kw 415v

LE1-D253N7 11kw 415v

Overloads

TR2-D09306 1.00 - 1.65A

TR2-D09307 1.60 - 2.50A

TR2-D09308 2.50 - 4.00A

TR2-D09310 4.00 - 6.00A

TR2-D09312 5.50 - 8.00A

TR2-D09314 7.00 - 10.00A

Rotary Isolator



- Easily installed
- Knock outs 20mm up to 40A, 25mm on 63A & 80A
- IP65
- Optional tamper proof cover included

LB204P 20A 4 Pole

LB254P 25A 4 Pole

LB324P 32A 4 Pole

LB404P 40A 4 Pole

LB634P 63A 4 Pole

LB804P 80A 4 Pole

Emergency Stop Button



RCAS-ESB541NC

- IP65
- Twist release

HRC Fuses



NIT

Rated at 550 vac 80kA

Fixing centres: 44.5mm, 14mm diameter

2A

4A

6A

10A

16A

20A

25A

32A

TIA

Rated at 550 vac 80kA

Fixing centres: 73mm, 24mm diameter

2A

4A

6A

10A

16A

20A

25A

32A

Cut Out Fuses



House Service cut out fuses

30.16 x 57mm 415v

MF60 60A

MF80 80A

MF100 100A

Fuses



Consumer Unit Fuses

LA5 5A

LC15 15A

LC20 20A

LD30 30A

LK45 45A

BS 1362 Plug Top Fuses

1A

3A

5A

10A

13A

This is a very small selection of the vast range of fuses available through Europa please ask for a copy of their illustrated price list.

We are always happy to quote for larger quantity orders