



### Classic



#### 52" 5 Blade Traditional Styling

- Available in the following finishes: Polish Brass; White; Brass; Black; Antique Brass

### Mayfair



#### 42" 5 Blade Fan

- 14 colour finish options
- Lights not included but can be added to any of the Mayfair range

### Phoenix



#### 42" 5 Blade Fan

- 2 colour finish options
- Conversion kit supplied
- Complete with 4" drop rod
- 100w halogen lamp
- Remote control


### Viper



#### 52" or 44" 5 Blade Fan

- 3 colour options
- Complete with remote control
- 100w halogen light
- 6" Drop rod as standard

### Odyssey



#### 40" Twin Fan

- 3 blade colour options
- Complete with remote control
- 100w halogen light
- 6" & 18" Drop rods as standard

### Capri



#### 36" 5 Blade Fan

- 4 colour finish options
- Flush mounted



#### Drop Rods

5 Different length options



#### Wide range of Light Fittings available



#### Remote Control option available on most ceiling fans

### Simply the Best

Formed in 1985 Fantasia have been credited as pioneers of the ceiling fan market in the UK. Over the past decade the range has increased from 12 models to over 60. They are now able to offer wall and ceiling lighting to compliment their fans.

Committed to quality, service and value for money the Fantasia fan motors are of silicon steel construction with double sealed bearings. These features ensure long, quiet, reliable and maintenance free operation.

**10 year warranty**



## Wall/Ceiling Fans



**100mm (4") Wall/Ceiling fans**

- Standard
- Timer
- Pull cord
- Humidity Control
- PIR control

## Wall/Ceiling Fans



**150mm (6") Wall/Ceiling fans**

- Standard
- Timer
- Pull cord
- Humidity Control
- PIR control

## 100mm Low Profile Fan



The new Manrose low profile fan has a unique design which enables it to fit unobtrusively into any wall or ceiling. Its flush fitting allows the fan to blend into the décor of the room.

- Long life motor
- Only 10mm profile
- available in white, brass or chrome

- Standard white
- Standard brass/chrome
- Timer white
- Timer brass/chrome

## Showerlite



The new 100mm Manrose Showerlite is a distinctive showerlite which is incorporated into a circular diffuser, suitable for showers and bathrooms.

Available in either standard or timer models and a choice of three finishes: white, brass or chrome.

Each pack is supplied with:

- Showerlite unit
- 50w 12v lamp
- Transformer
- In line fan
- One length of PVC flexible ducting
- External wall grill
- Fixing screws, plugs and straps

- Standard white
- Standard brass/chrome
- Timer white
- Timer brass/chrome

## In-line Centrifugal Fan



Providing solutions for a wide range of domestic, commercial and industrial applications the in-line centrifugal fan has been designed for use with suspended ceilings and is especially useful where there is a longer run of ducting.

- 100mm (4")
- Extract rate of 31 litres per second
- Supplied complete with brackets

- Standard
- Timer

There is an extensive range of ventilation accessories available to cover most in-line ducting systems. Please ask for details.

## 100mm Shower in-line Fan



Designed for the safe ventilation of toilets bathrooms and shower rooms, the in-line axial fan removes any risk of electric shock in wet areas as the fan is mounted remotely.

Each pack is supplied with:

- Fan unit
- One length of PVC flexible ducting
- External and internal grills
- Fixing screws, plugs and straps

- Standard
- Timer



## Extra Low Voltage Fan



### Safety extra low voltage fan 100mm (4")

Suitable for mounting within the splash area of a shower or bath (where current regulations prevent the use of conventional fans) the 12v fan is a standard model manufactured with a 12v 50Hz shaded pole motor. The transformer and switching mechanism is mounted remotely either in the roof space or high on the ceiling next to the pull cord switch.

### Bathroom fan

100mm 12v

### Remote transformer

Standard

Pull cord

Timer

Timer + pull cord override

Humidity control

Humidity control + pull cord override

## In-line Back Draught Shutters



Fitted in-line into the ducting to prevent unwanted back draughts.

**100mm (4")**

## Gravity & Fixed Grills



Available in white, brown, grey or terracotta

**100mm (4")**

**150mm (6")**

## PVC Flexi Ducting



Lightweight, reinforced with hardened steel wire spirally wound. ideal for extractor fans or tumble dryers.

### 100mm (4") ducting

3m length

10m length

### 150mm (6") ducting

5m length

### Clamps

50mm - 110mm

60mm - 165mm

### Gaffa Tape

Black

Silver

## Centrifugal Fans



**CF100** The CF100 centrifugal fan uses the latest technology to provide extremely powerful, yet very quiet and vibration free ventilation

- Ceiling/wall mounted
- Suitable for bathrooms and toilets
- 62m<sup>3</sup>/hr extract rate

CF100S Standard  
CF100T Timer  
CF100P Pullcord  
CF100H Humidity



**CF200** Designed to move air over long distances these units will give maximum performance even against pressures caused by long lengths of ducting and resistance by grills

- 110m<sup>3</sup>/hr extract rate
- 31 litres per second
- Double insulated

CF200S Standard  
CF200T Timer  
CF200P Pullcord  
CF200H Humidity



**CF400** The largest fan in the range, dynamically balanced, the CF400 unit is fitted with external rotor motors which incorporate ball bearings for a maintenance free life of over 40,000 hrs

- 230m<sup>3</sup>/hr extract rate
- 64 litres per second

CF400S Standard  
CF400T Timer  
CF400P Pullcord  
CF400H Humidity